



RAPID PLAS
GROUP

PRODUCT CATALOGUE

JULY 2025



- ✓ Best Looking Tanks
- ✓ Built Tough to Last
- ✓ Delivered to You



CONTENTS

4. Large Rainwater Tanks

8. Small & Slimline Rainwater Tanks

12. Tank & Pump Packages

16. Water Storage Accessories

24. Storage Tanks


27. Commercial & Industrial Storage

30. Poly Pipe **NEW**

32. Livestock Watering & Feeding

45. Equine & Animal Care

48. Cropping & Storage Equipment



Visit our
NEW website
rapidplas.com.au

Scan for
**TRUE
BLUE** 
Tank and Trough
Deals!




Choosing the **PERFECT**
RapidPlas product just
got **EASIER.**





AREA MAP

RapidPlas
has an
extensive
delivery area
servicing from
**Bega to
Bundaberg**



24 Tank Colours



Standard Colours

Gull Grey
Shale Grey™

Slate Grey
Woodland Grey®

Monument®
Charcoal

Heritage Green
Cottage Green™

Mist Green
Pale Eucalypt®

Merino
Paperbark®

Custom Colours

Tank White
Surfmist®

Mountain Blue
Deep Ocean®

Smooth Cream
Classic Cream™

Wallaby
Wallaby®

Stormedge Blue
Blue Ridge™

Beige

Birch Grey
Dune®

Rivergum
Wilderness®

Desert Haze
Sandbank®

Armour Grey
Windspray®

Earthtone
Bushland®

Wheat

Dark Grey
Basalt®

Evening Haze

Autumn Brown
Jasper™

Metal Grey
Ironstone™

Black
Night Sky®

Heritage Red
Manor Red™



Due to the printing process, colours may not be a true representation of the product.

Colour chips are available at our local dealers to help you select your tank colour.

LARGE RAINWATER TANKS



To streamline RapidPlas dealers tank orders that require delivery to site, RapidPlas have created a digital *Tank Order and Delivery Form*



What is Crown Force Technology?



Crown Force™ Technology



The triangular beams interlock into the proven corrugated wall profile providing optimal strength. The Crown Force design allows the tank to breathe, expanding and contracting with changes to temperature and pressure when in use to prevent cracking and roof sinking. Crown Force tanks are moulded as a single piece. No seams or joins.

Triangular Beams

The ultimate design for strength and durability.

Outlet Positions

Standard outlet positions are at 3 and 9 o'clock
Optional extra outlet positions are available on request.



Every Tank Tested

Exceeding Australian standards



RBlend20

Formulated uniquely to interact with the heating and moulding process to enhance molecular stability and UV protection.



Licence Number AMI 74773
AS/NZS 4766:2006

Standard Tank Inclusions



Outlets

2 × 1½" outlets fitted as standard at 3 & 9 o'clock.




Strainer & Cover

Mosquito proof stainless steel Inlet strainer & strainer cover to prevent dust contamination & algae growth.



Lifting Lugs

4 × Moulded lugs for safe handling & moving into place.



Overflow

90mm overflow fitted at 6 o'clock for 9000L & above.



1 × 1½" Ball Valve

So your tank is ready for use

*Australia's favourite looking tank!
Designed for rural and residential
applications.*

**FREIGHT
FREE
TO
SITE**

LARGE RAINWATER TANKS



FT32000

32000L (7040 GAL)

Dia: 3990mm
Inlet Height: 2730mm
Overall Height: 3230mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC27000

27000L (6000 GAL)

Dia: 3830mm
Inlet Height: 2505mm
Overall Height: 2700mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC22500LP

**22500L (5000 GAL)
LOW PROFILE**

Dia: 3840mm
Inlet Height: 2140mm
Overall Height: 2350mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC22500

22500L (5000 GAL)

Dia: 3510mm
Inlet Height: 2505mm
Overall Height: 2700mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC13500

14000L (3080 GAL)

Dia: 3000mm
Inlet Height: 2230mm
Overall Height: 2335mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC10500

10500L (2310 GAL)

Dia: 2520mm
Inlet Height: 2260mm
Height: 2450mm
Outlet Size: 1½"
Strainer Size: 500mm



RTC09000

9000L (1980 GAL)

Dia: 2350mm
Inlet Height: 2220mm
Overall Height: 2430mm
Outlet Size: 1½"
Strainer Size: 500mm

Looking to unlock even greater value?

You can by ordering **multiple tanks or complete tank packages**, with the most significant savings coming from a **full truckload order**.

For instance, did you know that **four 22,500L tanks** can be transported on a single truck?

This maximises freight efficiency and allows us to pass those savings directly on to you.



Rapid Smart Level Tanks

Remote tank level monitoring,
for water and liquid fertiliser

*“Save time and money
and gain peace of mind!”*



**RAPID
SMART
LEVEL**

POWERED BY
AGBOT™



**RAPID
SMART
LEVEL**
POWERED BY
AGBOT™

22,500L RAINWATER TANK

**RAPID SMART LEVEL
SATELLITE**

**RAPID SMART LEVEL
CELLULAR**



Available in 3 colours:

Heritage Green

Mist Green

Slate Grey

22,500L (5,000 GAL) RAPID SMART LEVEL
Crown Force Rainwater Tank

RTC22500-RSL

Diameter: 3510mm Total Height: 2700mm

Satellite connection fee or Cellular connection fee \$99 inc.gst - free for 1st year

Find out
more here



**RAPID
SMART
LEVEL**
POWERED BY
AGBOT™

27,000L RAINWATER TANK

**RAPID SMART LEVEL
SATELLITE**

**RAPID SMART LEVEL
CELLULAR**



Available in 3 colours:

Heritage Green

Mist Green

Slate Grey

27,000L (6,000 GAL) RAPID SMART LEVEL
Crown Force Rainwater Tank

RTC27000-RSL

Diameter: 3830mm Total Height: 2700mm

Satellite connection fee or Cellular connection fee \$99 inc.gst - free for 1st year

Find out
more here



SMALL & SLIMLINE RAINWATER TANKS

*The perfect solution
for commercial and
residential space
saving water storage*

Yarrin™



RAPIDPLAS
GROUP

Slimline Rainwater Tanks

One-Piece Construction

For wall integrity & strength

Hand Grips

For ease of positioning

Unique Pattern Mouldings

For style & positioning

**FREIGHT
FREE
TO
STORE**


Free delivery
to your nearest
dealer

STANDARD INCLUSIONS



Outlets

2 x 1" BSP Outlets.
One on each end
for flexible
installation



Strainer & Cover

2 x Mosquito proof
stainless steel Inlet
strainer & strainer
cover to help prevent
dust contamination &
algae growth.



Overflow

90mm overflow
that can be fitted
either end of the
tank

(supplied unfitted)



1 x 1" Ball Valve

So your tank is
ready for use

Small Round Rainwater Tanks


**FREIGHT
FREE
TO
STORE**

Free delivery
to your nearest
dealer


STANDARD INCLUSIONS



2 x Outlets



Strainer & Cover



Lifting Lugs



Overflow (unfitted)



1" Ball Valve

STANDARD TO THE YARRIN RANGE



RBlend20

Constructed with our own unique 'RBlend 20' food grade raw material. This virgin grade material is processed in house under controlled conditions providing extra strength and UV protection



Every Tank Tested
Exceeding Australian
standards



See range on page 3

Slimline Rainwater Tanks

Residential & Trade

Yarrin™



YRSL05000

5000L (1100 GAL)
SLIMLINE

Length: 3320mm
Width: 1040mm
Overall Height: 2020mm
Strainer Size: 410mm



YRSL05000TL

5000L (1100 GAL)
SLIMLINE

Length: 3250mm
Width: 975mm
Overall Height: 2200mm
Strainer Size: 410mm



YRSL04000

4000L (880 GAL)
SLIMLINE

Length: 2945mm
Width: 935mm
Overall Height: 2020mm
Strainer Size: 410mm



YRSL03000

3000L (660 GAL)
SLIMLINE

Length: 2515mm
Width: 870mm
Overall Height: 1955mm
Strainer Size: 410mm



YRSL03000SS

3000L (660 GAL)
SUPER SLIM

Length: 3010mm
Width: 700mm
Overall Height: 1965mm
Strainer Size: 410mm



YRSL03000LP

3000L (660 GAL)
SLIMLINE LOW PROFILE

Length: 3030mm
Width: 750mm
Overall Height: 1800mm
Strainer Size: 410mm



YRSL02000

2000L (440 GAL)
SLIMLINE

Length: 2450mm
Width: 750mm
Overall Height: 1725mm
Strainer Size: 410mm



YRSL01500

1500L (396 GAL)
SLIMLINE

Length: 1500mm
Width: 610mm
Overall Height: 2200mm
Strainer Size: 410mm



YR01000SL

1000L (220 GAL)
SLIMLINE

Length: 1770mm
Width: 500mm
Overall Height: 1655mm
Strainer Size: 320mm



YR00500SL

500L (110 GAL)
SLIMLINE

Length: 1210mm
Width: 430mm
Overall Height: 1360mm
Strainer Size: 320mm

INTRODUCING
THE NEW

STYLISH
**2000L
SLIMLINE**



YRSL02000SS

2000L (440 GAL)
SLIMLINE SUPER SLIM

Length: 2200mm
Width: 610mm
Overall Height: 2200mm
Strainer Size: 410mm

Small Corrugated Rainwater Tanks

Residential & Trade



RTC07000

7000L (1540 GAL)

Dia: 2380mm
Inlet Height: 1740mm
Overall Height: 1950mm
Outlet Size: 1½"
Strainer Size: 500mm



YR05000

5100L (1120 GAL)

Dia: 1840mm
Inlet Height: 2110mm
Overall Height: 2190mm
Outlet Size: 1½"
Strainer Size: 410mm



YR05000LP

5000L (1100 GAL)
LOW PROFILE

Dia: 2150mm
Inlet Height: 1560mm
Overall Height: 1680mm
Outlet Size: 1½"
Strainer Size: 500mm



YR04500LP

4700L (1033 GAL)
LOW PROFILE

Dia: 2370mm
Inlet Height: 1170mm
Overall Height: 1350mm
Outlet Size: 1½"
Strainer Size: 500mm



YR04500

4500L (990 GAL)

Dia: 1700mm
Inlet Height: 2200mm
Overall Height: 2290mm
Outlet Size: 1½"
Strainer Size: 410mm



YR04000LP

4000L (880 GAL)
LOW PROFILE

Dia: 2150mm
Inlet Height: 1310mm
Overall Height: 1420mm
Outlet Size: 1½"
Strainer Size: 410mm



YR03000

3000L (660 GAL)

Dia: 1710mm
Inlet Height: 1680mm
Overall Height: 1780mm
Outlet Size: 1½"
Strainer Size: 410mm



YR02200LP

2250L (500 GAL)
LOW PROFILE

Dia: 1700mm
Inlet Height: 1200mm
Overall Height: 1290mm
Outlet Size: 1½"
Strainer Size: 410mm



YR02200

2200L (480 GAL)

Dia: 1310mm
Inlet Height: 1900mm
Overall Height: 1960mm
Outlet Size: 1"
Strainer Size: 320mm



YR01100LP

1100L (240 GAL)
LOW PROFILE

Dia: 1350mm
Inlet Height: 1000mm
Overall Height: 1100mm
Outlet Size: 1"
Strainer Size: 320mm



YR01100

1100L (240 GAL)

Dia: 1050mm
Inlet Height: 1550mm
Overall Height: 1600mm
Outlet Size: 1"
Strainer Size: 320mm



YR00500LP

550LP (120 GAL)
LOW PROFILE

Dia: 1050mm
Inlet Height: 850mm
Overall Height: 910mm
Outlet Size: 1"
Strainer Size: 320mm



YR00500

500L (110 GAL)

Dia: 800mm
Inlet Height: 1320mm
Overall Height: 1360mm
Outlet Size: 1"
Strainer Size: 320mm

TANK & PUMP PACKAGES

House & Garden Packages

Rapid Plas rainwater tank packages are designed to cater for all your water storage solutions

- 💧 Off mains household water supply
- 💧 Small house and granny flats water supply
- 💧 Garden care
- 💧 Car or boat washing
- 💧 Topping up pools




Small Garden Package

This package provides enough pressure to run a few garden taps, hoses or sprinklers. Package available in tank sizes 1100L to 34,000L in both round and slimline styles

PACKAGE INCLUDES

- 1 x Rainwater tank (your choice of tank size)
- 90mm Overflow kit
- Quick connection kit between your tank & pump
- 52L/m pump (does not include Y Strainer or Pre-filter)
- Matching pump cover
- 2 Outlets
- Strainer & strainer cover



	CODE	CAPACITY (LITRES)	DIMENSIONS L X W X H (mm)
SLIMLINE	YRSL03000.SGPACK	3000	2515 × 870 × 1955
	YRSL04000.SGPACK	4000	2945 × 935 × 2020
	YRSL05000.SGPACK	5000	3320 × 1040 × 2020

	CODE	CAPACITY (LITRES)	DIAMETER (mm)	INLET HEIGHT (mm)	OVERALL HEIGHT (mm)
ROUND RAINWATER TANKS	YR01100.SGPACK	1100	1050	1550	1600
	YR02200.SGPACK	2200	1350	1900	1960
	YR03000.SGPACK	3000	1710	1680	1780
	YR05000.SGPACK	5000	1840	2110	2190
	RTC07000.SGPACK	7000	2380	1740	1950
	RTC09000.SGPACK	9000	2350	2220	2430
	RTC10500.SGPACK	10500	2520	2260	2450
	RTC13500.SGPACK	14000	3000	2230	2335
	RTC22500.SGPACK	22500	3510	2505	2700
	RTC27000.SGPACK	27000	3830	2505	2700
	FT32000.SGPACK	32000	3990	2730	3230

Whole House Package

This packages includes a pump with enough pressure to run your whole house including kitchen, bathroom, laundry and toilets.

PACKAGE INCLUDES Package available in tank sizes 7000L to 34000L

- 1 x Rainwater tank (your choice of tank size)
- 90mm Overflow kit
- Quick connection kit between your tank & pump
- 86L/m pump (does not include Y Strainer or Pre-filter)
- Matching pump cover
- 2 Outlets
- Strainer & strainer cover



	CODE	CAPACITY (LITRES)	DIAMETER (mm)	INLET HEIGHT (mm)	OVERALL HEIGHT (mm)
ROUND RAINWATER TANKS	RTC07000.WHPACK	7000	2380	1740	1950
	RTC09000.WHPACK	9000	2350	2220	2430
	RTC10500.WHPACK	10000	2520	2260	2450
	RTC13500.WHPACK	14000	3000	2230	2335
	RTC22500.WHPACK	22500	3510	2505	2700
	RTC27000.WHPACK	27000	3830	2505	2700
	FT32000.WHPACK	32000	3990	2730	3230


Building out of town?

WATER & SEPTIC PACKAGE

If you're not on town water or sewage you need this water & septic package

Includes:

- 2 × 27000L tanks giving you 54,000L of storage capacity
- 1 × Tank joining kit
- Quick connection kit between your tank & pump
- A pump cover to protect your pump
- A pump large enough to run your whole house including kitchen, toilets, laundry & bathrooms (86L/m) (does not include Y Strainer or Pre-filter)
- A 3000L septic tank with partition



Tank Joining Kit



Matching Pump Cover



Quick Connection Kit



86L/m Pump



3000L Septic Tank

FILTERED OFF MAINS PACKAGE


Enjoy purified water with the **WaterWise Package**. 45,000L of water supply with a large pump to run your whole house and a single water filter system providing peace of mind throughout the house. Reduces taste, odour, chemicals & sediment in your water. The system protects and prolongs the life of appliances throughout your home.

Includes:

- 2 × 22,500L rainwater tanks
- A tank joining kit, so your tanks fill together
- 90mm Overflow with each tank
- Single water filter system with dual-purpose filter
- Quick connection kit between your tank & pump
- 86L/m Pump (does not include Y Strainer or Pre-filter)
- Matching pump cover to protect your pump
- A tank dial gauge level indicator
- 2 Outlets on each tank
- Stainless steel strainer & dust cover to prevent algae



Single Filter




Tank Joining Kit



86L/m Pump



Matching Pump Cover



Quick Connection Kit



Water Level Indicator

Shed Package

Ideal for workshop sheds, garages & carports, garden sheds or granny flats

Make the most of the water you catch from your shed. If you're buying a new shed or you've already got a shed but don't have a tank on it, then this is the package you need. To be able to use the water you're going to need a pump, so get the whole job done now by buying in a package so you can save more, don't have to go shopping around, and get it all delivered to your property in one go.

Includes:

- 1 x Rainwater tank (your choice of tank size)
- 90mm Overflow kit
- Quick connection kit: tank to pump
- 52L/m pump
- Matching pump cover
- 2 Outlets
- Strainer & strainer cover

SGPACK



Overflow



Strainer

Matching
Pump Cover52L/m
PumpQuick
Connection Kit

2 Outlets




Car & Boat Washing Package

Hook up a tank to your house or shed to catch rainwater to wash your car or boat. Using rainwater is by far the best option to wash your car giving you a better finish and you don't even have to chamois it down afterwards. Pump has enough pressure to wash your car or boat.

Includes:

- 14,000L Rainwater tank
- 90mm Overflow kit
- Quick connection kit: tank to pump
- 86L/m pump (does not include Y Strainer or Pre-filter)
- Matching pump cover
- 2 Outlets
- Strainer & strainer cover

CBPACK



Overflow



Strainer

Matching
Pump Cover86L/m
PumpQuick
Connection Kit

2 Outlets



Rain-Mains Packages

SMALL BASIX PACKAGE RTPKE1B4

Includes:

- 1 x Rainwater tank (your choice of tank size)
- External Reefer pump 52L/m (does not include Y Strainer or Pre-filter)
- Rain-Mains change over device 3/4" AcquaSaver

Applications:

Serves single story homes. Use up to 4 fixtures

Features:

Automatic pressure controller and run-dry protection

Quick-plug connection on pressure controller



3/4" AcquaSaver



52L/m Pump



LARGE BASIX PACKAGE RTPKE2B2

Includes:

- 1 x Rainwater tank (your choice of tank size)
- External Reefer pump 86L/m (does not include Y Strainer or Pre-filter)
- Rain-Mains change over device 1" AcquaSaver

Applications:

Serves single and double story homes. Use up to 7 fixtures

Features:

Automatic pressure controller and run-dry protection


Quick-plug connection on pressure controller



1" AcquaSaver



86L/m Pump



SUBMERSIBLE BASIX PACKAGE RTPKS1B2

Includes:

- 1 x Rainwater tank (your choice of tank size)
- Submersible Reefer pump up to 100L/m
- Rain-Mains change over device 1" AcquaSaver

Applications:

Serves single and double story homes.

Use up to 6 fixtures

Features:

Includes pre-set float on pump

Integrated pressure controller and run-dry protection



100L/m Pump

1" AcquaSaver



Courtyard Package

TANK PACKAGES AVAILABLE

- 500L Courtyard Package (CYPACKAGE500)
- 500L Low Profile Courtyard Package (CYPACKAGE500LP)
- 1100L Low Profile Courtyard Package (CYPACKAGE1100LP)
- 2200L Courtyard Package (CYPACKAGE2200)

PACKAGE INCLUDES

Rainwater Tank
(From 500L to 2200L)



3/4" Ball Valve Garden Tap
with Lever Handle (TAP19)

Rainwater Tank Stand (RTTS0511)

15m Garden Hose (RTAGH18)



WATER STORAGE ACCESSORIES

- 💧 Pump Covers
- 💧 Level Indicators
- 💧 Water Filters
- 💧 Fittings
- 💧 Strainers & Dust Covers



TANK STRAINERS & STRAINER COVERS

Features:

- Covers with moulded “knock-outs” which can be removed as required
- Flexible & UV stabilised to withstand the elements
- Mosquito proof stainless steel mesh



NO MORE ALGAE
UV Blocker lid prevents algae growth by stopping sunlight.



CODE	DESCRIPTION	A = STRAINER DIAMETER	B = RECOMMENDED DIAMETER
RTS001	Large Strainer	410	365
RTS002	Medium Strainer	320	280
RTS005	Extra Large Strainer 500mm	500	460
RTSDC1	Strainer Cover for RTS001		
RTSDC2	Strainer Cover for RTS002		
RTSDC5	Strainer Cover for RTS005		

RAINWATER TANK LIDS



EASY ACCESS
Ideal for industrial applications - for easy filling via tank top & checking content levels.

CODE	DESCRIPTION
RTA40	455mm hinged lid and rim
RTA41	350mm screw lid and rim
RTA42	255mm screw lid and rim

OVERFLOW KIT HIGH LEVEL



OVERFLOWS & RAPIDSEALS

Features:

- Enable a watertight connection through tank walls
- Provide a quick and easy solution - suitable for use as overflows & tank connection system
- Can be fitted through corrugations as well as slight curves in tank walls - does not need a completely flat surface



CODE	DESCRIPTION
RS90	Rapidseal for 90mm PVC Pipe
RS100	Rapidseal for 100mm PVC Pipe
RS90K	90mm Overflow Kit



DOWNPIPE DIVERTERS

Features:

- Automatic operation
- 90mm suitable to use with small or slimline rainwater tanks
- Amount of water diverted can be customised according to the surface area of your roof
- These kits contain all the components required to convert your downpipe to a first flush diverter (excluding pipe)

CODE	DESCRIPTION
RT90PVC	90mm PVC Downpipe Diverter Kit
RT100PVC	100mm PVC Downpipe Diverter Kit



OVERFLOW SCREENS

OVERFLOW SCREEN FOR 90mm PVC PIPE



HIGH FLOW VENTED FLAP VALVE FOR 90mm PVC PIPE



NO MORE BUGS
Fit overflow to prevent access by frogs, mosquitoes or insects

TANK FITTINGS

	CODE	DESCRIPTION
METAL TANK OUTLETS	RTA34	1" brass tank fitting with ¾" internal thread
	RTA36	1½" brass tank fitting with 1½" internal thread
	RTA37	2" brass tank fitting with 1½" internal thread
	RTA37SS	2" stainless steel tank fitting with 1½" internal thread
	RTA38	3" brass tank fitting
	RTA39	4" brass tank fitting
PLASTIC TANK OUTLETS	RTA54	1" Ny-glass outlet with corrugated gasket set
	RTA52	1½" Ny-glass outlet with corrugated gasket set
	RTA50	2" Ny-glass outlet with corrugated gasket set
	RTA55	1" Ny-glass outlet with 1" male & female threads
	RTA51PP	2" Polypropylene tank fitting with 2" male & female threads
	RTA51LH	2" Ny-glass outlet with left hand thread
BALL VALVES AND POLY NIPPLES	RTA58LH	3" Ny-glass outlet with left hand thread
	RTA59LH	4" Ny-glass outlet with left hand thread
	BVT25	Ball Valve Tap 1" female/female
	BVT38	Ball Valve Tap 1½" female/female
	BVT38MF	Ball Valve Tap 1½" male/female
	BVT50	Ball Valve Tap 2" female/female
	BVT75	Ball Valve Tap 3" female/female
	BVT100	Ball Valve Tap 4" female/female
	RTA95	1" male/male nipple
	RTA96	1½" male/male nipple
	RTA97	1½" to 2" male/male nipple
	TAP19	¾" Ball Valve Garden Tap with Lever Handle
	TAP25	1" Ball Valve Garden Tap with Lever Handle



RISER PIPE KIT

Features:

- Supplied with a 300mm riser as standard, other lengths available by request
- Supplied fitted if ordered with a tank (specify required position)

This item is a requirement in some areas where a specified amount of water must always remain in the tank for fire fighting purposes. The household water requirement is taken from the riser pipe outlet so that the lower amount of water is always available through the Storz outlet only (Storz kit available separately - RTA67 pictured).


CODE	DESCRIPTION
RTA68	Riser Pipe Kit 50 × 300mm



Retains water level to the top of Riser Pipe

65mm quick connection Storz Fitting for fire fighting hose

RTA67



STORZ FITTINGS

CODE	DESCRIPTION
RTA60	38mm Storz fitting with 1½" male thread
RTA61	38mm Storz cap
RTA62	65mm Storz fitting with 2" male thread
RTA63	65mm Storz cap
RTA66	38mm Storz Kit for connection to 1½" female outlet
RTA67	65mm Storz Kit for connection to 1½" female outlet



i

BUSHFIRE?

Do you live in a bushfire danger zone? Install a Riser Pipe Kit - this guarantees to keep a specified quantity of water in the bottom of your tank for an emergency!



RAINWATER TANK STANDS

Features:

- Treated timber decking gives optimum tank support
- Heavy duty frames made from galvanised steel for durability
- Legs can be bolted down



RTTS05
**TANK STAND FOR
YR00500**

Length: 820mm
Width: 820mm
Height: 630mm

RTTS0511
**TANK STAND FOR
YR00500LP / YR01100**

Length: 1050mm
Width: 1050mm
Height: 630mm

RTTS1122
**TANK STAND FOR
YR01100LP / YR02200**

Length: 1350mm
Width: 1350mm
Height: 630mm



PUMP COVERS

Features:

- Protection for your pump from the weather
- Fully ventilated - reducing overheating

Will fit over any pump not exceeding these dimensions:

RTSPC1 - 550mm (L) × 280mm (W) × 400mm (H)

RTSPC2 - 480mm (L) × 480mm (W) × 630mm (H)

CODE	DESCRIPTION	L × W × H (mm)
RTSPC1	Small Smooth Pump cover	700 × 400 × 540
RTSPC2	Large Smooth Pump cover	600 × 600 × 800



PUMPS

Submersible Pump

- Rain to Mains switch over system allows mains water to flow if tank water is unavailable, and restricts mains flow if tank water is sufficient
- Valveset is 100% hydraulic - no electronics
- Watermark certified, includes dual check valve on mains
- Integrated run-dry protection and check valve
- Auto restart function
- Thermal overload protection
- Includes a leaf strainer and integrated Rain to Mains valve

Submersible Reefer Pump up to 100 L/M



RTPKS1

Submersible Reefer Pump with Integrated Pressure Controller up to 100 L/M

RPS036F



3/4" AcquaSaver



RTPKS1B4TS



Strainer



External Pumps

The Reefer series of pressure pumps are of superior quality construction and efficiency giving real power savings to the owner. They are suitable for the supply of water to the house and garden. Quiet running and reliable, ideal for suburban areas.

Suitable for drinking water - tested to AS4020 for potable water.

(External pumps do not include Y Strainer or Pre-filter)

External Reefer Pump 86 L/M



RTPKE2



External Reefer Pump 60 L/M



RTPKE1



Variable Speed Multistage Pump 55 L/M - 115 L/M



Assembled with a variable speed drive, the pump can respond to demands in application, guaranteeing perfect pressure.

Suitable for: Whole house supply, Amenities blocks, Commercial applications, Irrigation supply, Mains pressure boosting, Stock watering systems



RTPKE6

WATER FILTERS



Single Stage
Single stage, whole house rainwater filter 10 micron 110 L/M (EM1 Series)

Width: 150mm
 Height: 589mm
 Depth: 209mm

RTFL01

The EM1-60 system provides peace of mind throughout the house, reducing taste, odour, chemicals and sediment in your water. This system protects and prolongs the life of appliances throughout your home. Enjoy purified water at every outlet in the house.

The Puretec EM1 Series systems are designed for the budget-conscious householder, giving good general-purpose filtration. These systems do not require power to operate. Very easy to maintain, just replace the filter cartridge when the taste and odour return or every 6 - 12 months.



Dual Stage
Dual stage, whole house rainwater filter 5 micron 110 L/M (EM2 Series)

Width: 345mm
 Height: 589mm
 Depth: 209mm

RTFL02

The Puretec EM2-110 system is the appropriate choice for providing safe, clean and healthy water throughout the house or building. Providing maximum filtration with minimal flow restriction, these systems provide peace of mind throughout the house, office, protecting appliances from sediment and sludge build-up and extending the service life of ceramic disc tapware.

Enjoy purified water at every outlet in the house or building.



GREAT TASTING WATER

Connect to your water supply for dirt, rust, sediment & odour free water



Dual Hybrid
Dual rainwater whole house filter with ultraviolet 130 L/M (Hybrid Series)

Width: 670mm
 Height: 760mm
 Depth: 211mm

RTFL03

This system reduces sediment, chemicals including chlorine, bad taste, odour and is highly effective in eliminating bacteria and parasites in your water. This system has higher capacity and longer life filter cartridges compared to Hybrid G6.

Suited to medium to large applications that requires higher capacity and longer life filter cartridges. This system is designed for both mains and rainwater supply. This unit features a weather protection cover that is suitable for outdoor installation and an antitamper & childproof lockable lid.

Kills 99% of E. Coli, Giardia and Cryptosporidium cysts Radfire ultraviolet technology, a natural purification process that's completely eco-friendly and chemical-free. Dual filtration for extra sediment capacity.

DIAL GAUGE LEVEL INDICATOR

Features:

- Seals directly to the tank
- Utilises a reliable float system
- Easy to read dial face with adjustable empty & full indicators


Suitable for:

- Small rainwater tanks, close-up viewing



SIMPLE TO INSTALL

No batteries or wiring required



RTLTG

WATER BEACON RTLWB

Features:

- Large Hi-Vis orange ball for long distance tank checking (140mm ball)
- Adaptable mounting base to suit almost any water tank roof angle (max. 45° angle)
- 3 piece sturdy 19mm aluminium rise tube (2050mm)
- Livestock proof, top mounting (out of reach from livestock)
- Insect proof, unique domed cover keeps insects from your water
- Tough & sturdy, able to withstand blustery, windy conditions

Suitable for:

- Long distance tank checking, farm / industrial application



RAPID SMART LEVEL



Remote tank level monitoring technology

"Save time and money and gain peace of mind"

Features:

- Satellite or cellular connectivity
- Suitable for water, fertiliser and molasses
- Robust, safe & built to last
- Engineered for the harshest climates
- Rapid activation via NFC
- Effective warranty & lifespan - 7 year battery life
- Secure connections from remote locations

Benefits:

- Save time by avoiding manual tank monitoring
- Multiple readings per day
- Map view via GPS location
- Set & receive threshold alerts via email or text
- Save money with operational efficiency

Available with:

- 22,500L Crown Force Rainwater Tank
- 27,000L Crown Force Rainwater Tank

Satellite model



RSL-SAT

Cellular model



RSL-CEL

Scan here
for more
information



STORAGE TANKS

- 💧 Liquid Fertiliser Storage Tanks
- 💧 Molasses Storage Tanks
- 💧 Septic Tank

“Rapid Plas offers a range of Liquid Fertiliser Tanks and Molasses Tanks rated to 1.5SG liquids (Specific Gravity). This makes them much stronger than a standard rainwater tank therefore able to hold these heavier liquids.

We also offer fully drainable storage tanks suited for use at fertiliser and chemical manufacturers and distributors, potable and waste water treatment plants and virtually any other liquid processing applications.”



FERTILISER STORAGE TANKS

Features:

- Rated for 1.5SG liquids
- Safe & reliable storage of your valuable fertiliser
- Liquidator kit accurately shows level of contents
- Industry standard 2" Banjo valves for easy filling
- Available with 3" fertiliser kit upon request

CODE

RTFK

FTFK-UPSIZ3

DESCRIPTION

Fertiliser kit only

Upsize to 3"



**22,500L (5,000 GAL) RT22500FK
STORAGE TANK
WITH FERTILISER KIT**

Dia: 3510mm Outlet Size: 1½"
Inlet Height: 2390mm Strainer: 500mm
Height: 2700mm

**27,000L (6,000 GAL) RT27000FK
STORAGE TANK
WITH FERTILISER KIT**

Dia: 3830mm Outlet Size: 1½"
Inlet Height: 2505mm Strainer: 500mm
Height: 2700mm

**32,000L (7,040 GAL) FT32000FK
STORAGE TANK
WITH FERTILISER KIT**

Dia: 3990mm Outlet Size: 1½"
Inlet Height: 2730mm Strainer: 500mm
Height: 3230mm

MOLASSES STORAGE TANKS

Features:

- Extra heavy tanks with thicker walls suitable for molasses storage
- Free delivery to site within our delivery area
- Available in any colour from our range (see page 3)
- Hinged and vented lid
- Manhole access at 12 O'clock
- 3" brass outlet supplied as standard at 12 O'clock
- Rated for 1.5SG liquids

Options:

- Upgrade to larger brass outlets
- Ball valve tap available

CODE	STYLE	CAPACITY		DIAMETER mm	OVERALL HEIGHT mm
		LITRES	GALLONS		
RT09000M	Corrugated	9000	1980	2350	2430
RT10500M	Corrugated	10000	2200	2520	2450
RT13500M	Corrugated	14000	3080	3000	2420
FTP16000	Smooth Sided	16000	4226	2500	3910
RT22500M	Corrugated	22500	5000	3510	2700
RT22500LPM	Corrugated	22500	5000	3840	2350
RT27000M	Corrugated	27000	6000	3830	2700
FT32000M	Smooth Sided	32000	7040	3990	3230



22,500 LITRE

RT22500M



16,000 LITRE

FTP16000



Supplied & fitted as standard.



Hinged lid with manhole access for easy filling or checking of contents.

SEPTIC / UNDERGROUND TANK

Features:

- Made to Australian Standard (AS/NZS1546.1)
- Lightweight yet extremely strong and durable
- 15 year manufacturer's guarantee

Weighing under 150kg, the tank can be easily positioned and installed by a plumber or drainer without requiring mechanical lifting equipment.



3000L UNDERGROUND SEPTIC TANK WITH PARTITION

UST3000P

Top Dia: 1880mm
Height: 1875mm
Weight: 137kg

PIPELINE TANKS

Features:

- The ideal tank for livestock watering – keep your plumbing protected from your stock!
- This tank with its concealed plumbing is especially designed to be connected to pipelines to supply water to your stock troughs.
- High-quality fittings supplied: "Twist & Flip" easy access cover, 2" float valve & plumbing.

Options:

- Available in the:
RTC13500
RTC22500
RTC27000
- Dual action float valve available.



2" Float Valve

Poly Riser

2" Brass Inlet


CODE	CAPACITY		DIAMETER mm	OVERALL HEIGHT mm
	LITRES	GALLONS		
RTIPK13500	14000	3080	3000	2420
RTIPK22500	22500	5000	3510	2750
RTIPK27000	27000	6000	3840	2700

INTERNAL PLUMBING KIT FOR 14,000L TANK RTIPK13500

EASY FILL SYSTEM with 2" internal riser & float:



EXAMPLE DIAGRAM OF TANK PROVIDING WATER TO TWO TROUGHS:



Example showing optional extra outlet for DP619 ie. 2 x 2" outlets to connect to 2 troughs.

Pre-plumbed tank with top filling float valve. Connect to the 2" brass inlet at the bottom. This keeps your plumbing protected from livestock and the sun.

COMMERCIAL & INDUSTRIAL STORAGE

Fully Drainable Tanks & Customised Fittings



CUSTOM SOLUTIONS

Let us create a solution for you!

We offer a complete range of customisable fittings and accessories to go with your tank. PE Stub flanges with Table D, E or ANSI 150 backing rings (galvanised or stainless steel) can be welded into tanks. Stainless steel fittings and sprayballs for tank clean out can also be supplied to order, please call us to discuss your needs.

Talk to RapidPlas about tailoring a tank fitout to suit your industry specific requirements



Cone bottom tanks with stainless steel fittings



Stainless steel sprayballs

RTSPRAYBALL63



Stainless steel fittings

Fittings & Accessories:



Poly flange fittings



Special fit-outs



FLAT BOTTOM INDUSTRIAL GRADE TANKS

RapidPlas manufactures a wide variety of flat bottomed heavy duty industrial grade tanks which range in capacity from 500 litres to 32,000 litres.

Features:

- Designed specifically for the industrial environment
- Engineer verified design
- Totally self supporting roof - no internal fixtures or supports
- Suitable for a wide range of liquid chemicals
- Available for 1 and 1.5 SG



CONE BOTTOM TANK ON STAND

Features:

- 15° cone bottom and full drain bung for total evacuation of contents
- Ribbed side wall tanks for superior strength
- 2" fitting installed standard on all tanks (Optional 3" available)
- 3 positive tie down points / lifting lugs
- Heavy duty galvanised steel frame
- Supplied in translucent green colour so level of contents can be seen (Also available in black)
- 450mm hinged & vented lid
- Rated for 1.5 SG liquids



USE EVERY LAST DROP

Unique design enables all contents to be drained



CODE	CAPACITY		DIAMETER mm	HEIGHT mm
	LITRES	GALLONS		
FTS07000	7000	1540	2500	2280
FTS13500	13600	3000	2500	3700
FTS15000	15000	3300	2500	3970

LARGE FULL DRAIN TANK

Features:

- Rated for 1.5 SG liquids
- 4" outlet piped out to the edge of the stand
- Sloped base for complete drainage of contents
- Heavy duty galvanised steel frame
- Stand supplied in 4 sections for easy positioning on site
- Suitable for fertilisers, molasses and other industrial liquids
- Range of ball valves and other fittings available to suit

**32,000L (7,040 GAL)
FULL DRAIN TANK
ON STAND**

Dia: 3990mm
Outlet size: 4"



Disclaimer: The dimensions are approximate only due to variations in the manufacturing process

UNIVERSAL RAPID DRAIN TANK


The 100% poly self-draining tank that has universal applications – compact, portable and easy to use.

Features:

- Multi-purpose – can be cleaned and re-used for a variety of liquids (e.g. molasses or liquid fertiliser)
- 5° cone bottom and drain fitting for virtually 100% evacuation of contents & quick clean out
- Base features a 2.5m Circular Stabilisation Pod to provide a much larger surface area than support legs
- Water-fillable base weighing 570kg when filled to stabilise tank when the tank is empty
- Side delivery – NO vortex created, to prevent pump sucking air
- Easy access 2" outlet and ball valve on the side, not underneath the tank. Other outlet sizes available
- 100% polyethylene constructed tank and base makes it a long term solution – will not rust or corrode
- Supplied in black colour as standard (Also available in translucent green colour so level of contents can be seen)
- Store at application site and free up your truck for other use
- 450mm Hinged and vented lid
- Rated for 1.5 SG liquids



**2 TANKS WILL
STORE A FULL
B-DOUBLE LOAD**



**16000L UNIVERSAL
RAPID DRAIN TANK
& BASE** FTP16000


Dia: 2500mm
Height: 3910mm

POLY PIPE

NEW!

Explore the comprehensive RapidPlas Poly Pipe Collection, featuring our trusted Blue Line and Green Line ranges – engineered to meet every water transfer need across rural, agricultural, industrial, and domestic applications throughout Australia.

Manufactured to the highest standards, both lines offer exceptional durability and reliable performance tailored for specific uses.



Blue Line Poly Pipe

NEW!

RapidPlas Blue Line Poly Pipe: Certified for Potable & Pressure Applications
The RapidPlas Blue Line Poly Pipe range is specifically designed for the safe and efficient transfer of potable (drinking) water under pressure. Its robust construction and adherence to stringent standards ensure water purity and system integrity for critical applications.

Key Features:

- **Potable Water Certified:** Watermark certified and ISO Type 5 certified manufactured from high-density polyethylene material, guaranteeing suitability for human consumption and resistance to rust, rot, pitting, or corrosion.
- **High-Pressure Capabilities:** Available across various diameters (25mm, 32mm, 40mm, 50mm, 63mm) with multiple pressure ratings including PN8, PN10, PN12.5, and PN16
- **Exceptional Design Life:** Engineered for durability with a minimum design life of up to 50 years at 20°C.
- **Standards Compliance:** Manufactured in compliance with AS/NZS 4130 Polyethylene (PE) pipes for pressure applications.
- **Versatile Joining:** Compatible with metric compression fittings, electrofusion fittings, and butt welding methods for secure and reliable connections.

25mm 32mm 40mm 50mm 63mm



See the full
range here


Green Line Poly Pipe

NEW!

The RapidPlas Green Line Poly Pipe is a practical and cost-effective solution tailored for non-potable rural and agricultural water transfer applications. It's ideal for a wide array of farm-specific uses where flexibility, ease of installation, and resistance to environmental factors are paramount.

Key Features:

- **Rural & Agricultural Focus:** Specifically designed for fundamental rural uses such as irrigation, dam overflows, bore water transfer, and livestock watering.
- **PN8 Pressure Rating:** Engineered to endure a maximum pressure of 800 kilopascals (kPa), suitable for many common low to medium pressure pumping and gravity-fed systems.
- **Lightweight & Flexible:** Supplied in convenient coils, offering excellent flexibility for straightforward installation across varied terrain, reducing labour and equipment needs.
- **Corrosion & Weather Resistant:** Crafted from durable polyethylene that resists corrosion, rust, and degradation from weathering and UV exposure, ensuring long-term performance outdoors.
- **Available Sizes:** Commonly available in practical rural sizes including 1" (25mm ID), 1½" (40mm ID), and 2" (50mm ID).



See the full
range here

LIVESTOCK WATERING & FEEDING

Round & Long Troughs Tank & Trough Combos

Many of our dealers stock Pro Tubs and Longline Water & Feed Troughs for you to pick up today. A dealer near you may have the trough you are looking for in stock.



Livestock Watering

ULTRA LONGLINE WATER TROUGHS

Stock Type:

Cattle, Horses, Alpacas, Sheep, Goats

Features:

- One piece trough with fully protected 1" float system
- 2" Drain bung at either end
- Raised cover allows trough to fill to the brim
- All poly, heavy duty, UV stabilised to withstand tough Australian conditions



WATER TWO PADDOCKS WITH ONE TROUGH

Centre mounted float - can service either side of a fence with one Inlet.



PT64W

200L 4' ULTRA LONGLINE WATER TROUGH

Length: 1300mm
Width: 600mm
Height: 480mm
Float: 1"



PT68W

400L 8' ULTRA LONGLINE WATER TROUGH


Length: 2390mm
Width: 600mm
Height: 480mm
Float: 1"

M SERIES TROUGHS


Stock Type: Alpacas, Sheep, Goats, Poultry

Features:

- The perfect height for small animals
- Easily transportable
- Strong all-poly construction suitable for corrosive environments
- Smooth finish facilitates cleaning
- Covered float prevents stock damage
- Peg down points to prevent livestock pushing the trough around




LIGHTWEIGHT
Design makes it easy to handle and relocate



PTM34W

35L M SERIES WATER TROUGH


Length: 840mm
Width: 570mm
Height: 180mm



PTM33W

60L M SERIES WATER TROUGH

Length: 1280mm
Width: 570mm
Height: 180mm



PTM32W

100L M SERIES WATER TROUGH

Length: 1900mm
Width: 570mm
Height: 180mm



PTM31W

140L M SERIES WATER TROUGH

Length: 2400mm
Width: 570mm
Height: 180mm



Spare Parts

CODE	DESCRIPTION
PTA63	Float cover only
PTA70	1/2" float valve only with arm
PTA76	Float-ball only, for PTA70
PTFC12M	1/2" float and cover
PTF25S	1" Poly Float Valve Complete for Pro Tub
PTF25 MAXFLO	25mm Max-Flo float valve (diaphragm type)
PTA83C	2" Drain bung coarse thread

Livestock Watering

PRO TUB TROUGHS

Stock Type:

Cattle, Horses, Alpacas

Features:

- Linchpin secures float cover to prevent damage
- Float enclosure moulded as part of the trough
- Raised float allows trough to fill completely
- All pipework protected by trough surround
- 2" drain bung for easy cleaning
- Fitted with 1" high pressure, high flow valve

Options:

- Add '-MAX' to the product code when ordering to replace standard float valve with high flow MAXFLOW valve option. EG. PTTU40W-MAX
- see page 36



CODE	DESCRIPTION
PTFC25U	1" float valve and cover for Pro Tub Trough
PTF25S	1" float valve complete for Pro Tub Trough
PTA65	Float cover only for Pro Tub Trough
PTA71S	1" valve only for Pro Tub Trough (no float)
PTA77	Float ball only (no valve or arm) for PTA71S
PTA83C	2" drain bung - coarse thread
PTA99	Replacement cap and gasket for PTF25 / PTF25S



PTTU44W
**1200L PRO TUB
WATER TROUGH**
Dia: 1930mm
Height: 670mm



PTTU42W
**600L PRO TUB
WATER TROUGH**
Dia: 1500mm
Height: 590mm



PTTU40W
**220L PRO TUB
WATER TROUGH**
Dia: 1110mm
Height: 460mm

ROUND WATER TROUGH

Stock Type: Cattle, Horses, Alpacas

Features:

- Tough and durable with a long history of use on farms
- Light and easy to move around - excellent for drovers
- Smooth finish with 2" drain bung for easy cleaning




PTT11W
**1000L ROUND WATER
TROUGH**
Dia: 1650mm
Height: 600mm



PTT10W
**500L ROUND WATER
TROUGH**
Dia: 1300mm
Height: 500mm



PTT12W
**250L ROUND WATER
TROUGH**
Dia: 1000mm
Height: 420mm



Livestock Watering

LONGLINE WATER TROUGHS

Stock Type:

Cattle, Horses

Features:

- Smooth interior with a 2" drain bung for easy cleaning
- Peg down points at each end
- Water troughs come complete with a valve, float & float cover which gives the valve & float full protection

Options:

- Available as either feed or water troughs
- Add '-MAX' to the product code when ordering to replace standard float valve with the high flow MAXFLOW valve option. EG. PTL2W-MAX



COMPLETE UNIT

Troughs come complete with valve, float & protective cover.



PTL8W

190L 8' LONGLINE WATER TROUGH

Length: 2400mm
Width: 550mm
Height: 360mm

PTL6W

145L 6' LONGLINE WATER TROUGH

Length: 1840mm
Width: 550mm
Height: 360mm

PTL4W

98L 4' LONGLINE WATER TROUGH

Length: 1270mm
Width: 550mm
Height: 360mm

PTL2W

50L 2' LONGLINE WATER TROUGH

Length: 640mm
Width: 550mm
Height: 360mm

Spare Parts:

PTF12

- ½" high pressure float valve suitable for mains pressure 100PSI
- Flow rate 20L per minute at 15PSI to 50L per minute at 100PSI

PTF25

- Full flow through valve gives high flow rates
- Also suitable for high pressure up to 150 psi
- Long arm ensures closure at high pressure
- Flow rate 60 litres per min at 15 psi to 130 litres per min at 45 psi

CODE	DESCRIPTION
PTFC12L	½" float valve and cover for longline trough
PTF12	½" float valve complete for longline trough
PTFC25L	1" float valve and cover for longline trough
PTF25	1" float valve complete for ultra longline trough
PTA61	Float cover only for ½" valve
PTA62	Float cover only for 1" valve
PTA70	½" float valve only (excludes float ball)
PTA71S	1" float valve only (excludes float ball)
PTA76	Float ball only (excludes valve & arm) for PTA70
PTA77	Float ball only (excludes valve & arm) for PTA71
PTA84	2" drain cap for longline trough

TROUGH INSERTS

Features:

- Durable UV stabilised polyethylene for long outdoor life
- Rust free polyethylene will not corrode
- Smooth finish & 2" drain bung facilitates cleaning
- Great for use in existing or custom design solutions

CODE	DESCRIPTION	CAPACITY (LITRES)	DIMENSIONS L x W x H (mm)
PTI02	2' Insert	50	630 x 520 x 270
PTI04	4' Insert	98	1240 x 520 x 270
PTI06	6' Insert	145	1840 x 520 x 270
PTI08	8' Insert	190	2400 x 520 x 270



STOP THE BULLY

Longer lengths enable the whole herd to access the trough at once, so nobody misses out!


MAXFLOW VALVE

Features:


- High flow diaphragm valve - 500 LPM at 22 PSI
- Self cleaning pilot valve ensures reliability
- Strong compact design with long 1" thread, backnut & gaskets
- Operating pressure from 3 to 175 PSI

Suitable for:

- Pro Tubs
- Longline Water Troughs
- Ultra Longline Water Troughs



FLOAT VALVE FLOW RATES



Livestock Watering

TANK & TROUGH COMBO

Stock Type:

Cattle, Sheep, Goats

Features:

- Provides long term water security. If in the event the water supply is cut off before the combo, you still have a large body of water right at the trough. This is a great solution if you cannot check your water supply regularly
- The easiest trough to clean with its sweep out ramp, and cleaner water means better stock
- Ready-to-go. It's all done for you. No tricky installation between the tank and the trough. Just hook up at the bottom and it's right to go
- The internal plumbing prevents damage from livestock
- Cooler and cleaner water than traditional methods, inhibiting algae growth and is better for your livestock
- Decreases the risk of stock drowning in their water supply
- Circular trough design to facilitate water flow & maximise stock watering capacity
- 2" drain bung for improved cleaning

CODE	DESCRIPTION
DP608	Level Indicator
DP6EFVK	Extra Float Valve Kit
PTF50DA	50mm Dual Action Float Valve
PTF32DA	32mm Dual Action Float Valve

Scan here to watch



PTSWB2
**SWEEP
OUT
BROOM**




DP645
**5,000L TANK &
TROUGH COMBO WITH
LEVEL INDICATOR**

Trough Dia: 2500mm
Trough Height: 280mm
Tank Height: 2200mm



DP640
**10,000L TANK &
TROUGH COMBO WITH
LEVEL INDICATOR**

Trough Dia: 3240mm
Trough Height: 300mm
Tank Height: 2380mm



TANK & TROUGH COMBOS

5,000L COMBO

Satellite connection fee \$99 inc.gst - free for 1st year

10,000L COMBO

Cellular connection fee \$79 inc.gst - free for 1st year

Scan here for more information



DP645-RSL-CEL



DP645-RSL-SAT

**RAPID SMART LEVEL
CELLULAR**

**RAPID SMART LEVEL
SATELLITE**



DP640-RSL-CEL



DP640-RSL-SAT

**RAPID SMART LEVEL
CELLULAR**

**RAPID SMART LEVEL
SATELLITE**

Livestock Watering

Better Value - Tank & Trough Packs

By buying in a package you save a lot more, plus get everything delivered to your property for free* in one go.

NOTE: Must be delivered direct to farm as one complete package.* Standard freight terms apply.

CATTLE-PRO-PLUS PACK


Includes:

- 27000L tank
- 2 x 1½" outlets to feed out to both troughs
- 2 x 600L Pro Tub Troughs including float valves & covers
- A Water Beacon level indicator to check quickly that your stock have enough water
- 2 x ball valves to go out to both troughs

CATTLE-PRO PACK

Includes:

- 14000L tank
- 2 x 1½" outlets to feed out to both troughs
- 2 x 220L Pro Tub Troughs including float valves & covers
- A Water Beacon level indicator to check quickly that your stock have enough water
- 2 x ball valves to go out to both troughs



If your tank and trough capacity is too small you will need to pump more often. Increasing your electricity & maintenance costs significantly.

REMEMBER...The water consumption rates for livestock vary.

DAILY WATERING GUIDE (approx.)

Cattle: 70L Daily Sheep: 7L Daily



A MUCH BETTER WAY TO BUY.

Get the complete package with extra capacity, a 6000 gallon tank.

SHEEP-PRO-PLUS PACK

Includes:

- 14000L tank
- 2 x 1½" outlets to feed out to both troughs
- 2 x 200L Ultra Longline double paddock water troughs including float valves & covers
- A Water Beacon level indicator to check quickly that your stock have enough water
- 2 x ball valves to go out to both troughs

SHEEP-PRO PACK

Includes:

- 9000L tank
- 2 x 1½" outlets to feed out to both troughs
- 2 x 200L Ultra Longline double paddock water troughs including float valves & covers
- A Water Beacon level indicator to check quickly that your stock have enough water
- 2 x ball valves to go out to both troughs



Livestock Feeding

ROUND FEED TUB

Stock Type:

Cattle, Horses, Alpacas

Features:

- Tough and durable with a long history of use on farms
- Light and easy to move around - excellent for drovers
- Smooth finish with 2" drain bung for easy cleaning



PTTLD10

**LID FOR 500L
ROUND FEED TUB**



PTT10WB

**500L ROUND
FEED TUB**

Dia: 1300mm
Height: 500mm



PTT12WB

**250L ROUND
FEED TUB**

Dia: 1000mm
Height: 420mm




M SERIES FEED TROUGHS

Stock Type:

Alpacas, Sheep, Goats, Poultry

Features:

- The perfect height for small animals
- Easily transportable
- Strong all-poly construction suitable for corrosive environments
- Smooth finish facilitates cleaning
- Peg down points to prevent livestock pushing the trough around



PTM34F

**35L M SERIES
FEED TROUGH**

Length: 840mm
Width: 570mm
Height: 180mm

PTM33F

**60L M SERIES
FEED TROUGH**

Length: 1280mm
Width: 570mm
Height: 180mm

PTM32F

**100L M SERIES
FEED TROUGH**

Length: 1900mm
Width: 570mm
Height: 180mm

PTM31F

**140L M SERIES
FEED TROUGH**

Length: 2400mm
Width: 570mm
Height: 180mm



EXTRA STABILITY

Peg down with tent pegs to provide your trough extra stability and stop larger animals pushing it around.

LONGLINE FEED TROUGHS

Stock Type:

Cattle, Horses

Features:

- Smooth interior with a 2" drain bung for easy cleaning
- Peg down points at each end
- Portable and robust design



PTL8F

190L 8' LONGLINE FEED TROUGH

Length: 2400mm
Width: 550mm
Height: 360mm

PTL6F

145L 6' LONGLINE FEED TROUGH

Length: 1840mm
Width: 550mm
Height: 360mm

PTL4F

98L 4' LONGLINE FEED TROUGH

Length: 1270mm
Width: 550mm
Height: 360mm

PTL2F

50L 2' LONGLINE FEED TROUGH

Length: 640mm
Width: 550mm
Height: 360mm



EXTRA STABILITY

Peg down with a star post for extra stability - prevent stock injury & food wastage.

Scan here
to watch



STOP THE BULLY

Longer lengths enable the whole herd to access the trough at once, so nobody misses out!




Spare Parts:

TROUGH INSERTS

Features:

- Durable UV stabilised polyethylene for long outdoor life
- Rust free polyethylene will not corrode
- Smooth finish & 2" drain bung facilitates cleaning
- Great for use in existing or custom design solutions

CODE	DESCRIPTION	CAPACITY (LITRES)	DIMENSIONS L x W x H (mm)
PTI02	2' Insert	50	630 x 520 x 270
PTI04	4' Insert	98	1240 x 520 x 270
PTI06	6' Insert	145	1840 x 520 x 270
PTI08	8' Insert	190	2400 x 520 x 270



Livestock Feeding

MINERAL FEEDER

Stock Type: Cattle

Features:

- Flexible rubber lid which cattle lift up to access feed
- Easy access for large numbers of cattle
- Durable & rust free
- Stackable for easy storage (with rubber removed)
- Ideal for fast weight gain

Scan here to watch



120L PTMF120 MINERAL FEEDER

Dia: 1100mm
Height: 530mm

250L PTMF250 MINERAL FEEDER

Dia: 1450mm
Height: 650mm



PROTECTED 24/7

Don't risk urea poisoning! This design gives your feed weatherproof protection, and is accessible to stock around the clock.

COVERED MINERAL FEEDER

Stock Type: Cattle

Features:

- Large 500L capacity
- Durable roof with substantial overhang to protect feed from the elements
- Raised tub for extra feed protection
- Innovative lid design for easy filling & prevent injury & back strain. Removes the danger of the lid falling when refilling the tub
- Lid can be assembled to open to the left or the right
- Lid can be latched securely in the closed position to prevent stock opening it
- Patented Design



NO-LIFT

Swivel roof design means no lifting required to fill tub.



500L MINERAL FEEDER WITH ROTATING POLY LID

Dia: 2400mm
Height: 1900mm



NB: SOME ASSEMBLY MAY BE REQUIRED


MOLASSES LICKER DRUM

Stock Type: Cattle

Features:

- Proven method of supplementary feeding using molasses, water and urea mixes
- Bloat oil or other liquid supplements may be added
- Will supply 20-30 cattle for approximately 4 days
- All poly construction for corrosion resistance
- Floating roller for effective use of supplement
- No metal bearings to rust or seize
- Easy fill hole on the side
- Must have molasses mixed with 50% water

CODE	CAPACITY (LITRES)	DIMENSIONS L x W x H (mm)
PTS05	120	880 x 700 x 420
PTS05D	-	Drum only



MILK FEEDING



PCMB1F
1 TEAT MILK BOTTLE WITH PEACH CALF TEAT
Capacity: 2 Litres



PCMB1L
1 TEAT MILK BOTTLE WITH LAMB & KID TEAT
Capacity: 2 Litres



PCMM1CF
1 TEAT MILK FEEDER WITH PEACH CALF TEAT
Capacity: 4 Litres



PCMM1CL
1 TEAT MILK FEEDER WITH LAMB & KID TEAT
Capacity: 4 Litres



PCMM5CF
5 TEAT MILK FEEDER WITH PEACH CALF TEATS
Capacity: 30 Litres



PCMM5CL
5 TEAT MILK FEEDER WITH LAMB & KID TEATS
Capacity: 30 Litres



MILK FEEDING SPARES



PCFC
CAP & PEACH CALF TEAT KIT



PCMFT
PEACH CALF TEAT



PCCPF
CAP TO SUIT PEACH CALF TEAT



PCLTC
CAP & LAMB/KID TEAT KIT



PCLT
LAMB & KID TEAT



PCCPLT
CAP TO SUIT LAMB & KID TEAT



PCLTBC
CAP TO SUIT SOFT DRINK BOTTLE & LAMB / KID TEAT KIT

Livestock Feeding

TIPS FOR SUCESSFUL CALF REARING

Calves will grow better when fed milk at a temperature of around 40°C. Calves don't thrive as well when fed cold milk as cold milk digestion requires more energy than warm milk digestion, which compromises energy for growing.

It is critical all calves receive colostrum within the first few hours of their birth. Calves which receive inadequate or no colostrum have higher mortality and lower growth rates.



"My favourite Rapid Plas product would have to be my Lamb Bar/Calfateria. I originally set it up for lambs, then used it for a couple of seasons for goat kids, and then this year bought new teats and raised calves. In between it spends a lot of time hanging on the fence and is still good as new! Thank you for such a great quality product that lasts in all weather."

Daniel Roberts
COOTAMUNDRA



Calibrations for measurement of contents.

Soft, flexible rubber. Closely resembles a cows teat.

Galvanised steel mounting brackets.

Convenient handle for ease of use.

Calibrations for measurement of contents.

RACE TYPE FOOTROT BATH

Stock Type:

Sheep, Goats

Features:

- Has an end to end linking feature that is ideal for placing in a sheep race
- Non slip ridges on floor open the hoof to increase chemical penetration
- Lightweight for easy handling and cleaning
- All poly, heavy duty, UV stabilised to withstand tough Australian conditions
- V-sides to prevent stock from removing their hooves from the chemical

DP508


STANDARD FOOTROT BATH

Length: 2400mm
Width: 480mm
Height: 200mm
Capacity: 90 Litres

DP510

LARGE WIDTH FOOTROT BATH

Length: 2400mm
Width: 1000mm
Height: 200mm
Capacity: 240L



1

ELIMINATE HARD WORK

Makes the prevention & treatment of footrot disease an easy task!

AUTOMATIC PET WATERER

Stock Type:

Dogs, Cats, Birds, Poultry

Features:

- Continuous supply of fresh water
- Automatic pressure shut off
- Connects to any standard garden hose for outdoor use
- Connects to a soft drink bottle for indoor use (bottle not supplied)



PTPW



2L PET WATERER

Length: 285mm
Width: 240mm
Height: 115mm

CODE	DESCRIPTION
PTF12RW	Spare float valve for PTPW
PTPW-A	1/2" Adaptor for garden hose fittings

EQUINE & ANIMAL CARE

Fence Feeders & Drinkers, Chaff Bins, Mounting Step, Feed Bucket & Scoop

Rapid Plas is based in one of the equine capitals of the world – Tamworth, so it makes sense that you will find a superior range of equine products to suit every horse. Extremely strong, tough and durable poly feeders, drinkers and bins get the job done easily and safely. It is important to protect your horse with our smooth edged products when they are feeding or drinking. It is also recommended to use a Rapid Step when climbing into the saddle to protect your horse from the strain of constant neck-twisting. If you check out horse x-rays you can observe constant pulling to one side of the horse's neck, can cause a repetitive strain injury. Plus, to make the whole thing fun, the 6 colour options really liven up your stables and help you with colour coding your farm.



32 LITRE D-FEEDER

Stock Type:

Horses, Alpacas, Donkeys, Goats

Features:

- Return lip around top prevents feed from being blown or dragged out
- Corrosion proof – ideal for liquid feed supplements
- Galvanised steel mounting brackets
- Proven durability



BEST SELLER

A horse owners favourite, this design is our most popular fence feeder.

32L D-FEEDER

Length: 440mm
Width: 400mm
Height: 250mm

PTS14



45 LITRE D-DRINKER

Stock Type:

Horses, Alpacas, Donkeys, Goats

Features:

- 1 piece moulded drinker plus float & cover
- 1/2" high pressure float valve
- Immensely strong construction
- Galvanised steel mounting brackets
- 2" drain bung for easy cleaning

45L D-DRINKER

Length: 540mm
Width: 410mm
Height: 380mm

PTS01W



Equine range available in these colours



FENCE DRINKER

Stock Type:

Horses, Alpacas, Poultry, Dogs

Features:

- Large 2" drain bung for easy cleaning
- 1 piece durable design with float cover moulded in
- Strong solid mounting flanges
- UV stabilised for long outdoor life
- Available without brackets for mounting directly onto fence etc; or with brackets for hanging

PTS48W-NB



PTS49W-NB

8L FENCE DRINKER

Length: 300mm
Width: 300mm
Height: 220mm

25L FENCE DRINKER

Length: 450mm
Width: 370mm
Height: 340mm

Spare Parts

CODE	DESCRIPTION
PTF12RW	1/2" float valve complete for PTS48W
PTF120	1/2" float valve complete for PTS01W / PT49W
PTA84	2" drain cap for PTS01W

HAY FEEDER

Stock Type:

Horses, Alpacas, Donkeys

Features:

- Lid prevents horse pulling biscuit out of hay rack
- Lid can be purchased separately to fit onto existing feeders
- Feed bin prevents valuable feed from falling onto ground
- Zinc plated hay compartment frame & galvanised brackets

CODE	DESCRIPTION	DIMENSIONS (mm)		
		L	W	H
PTS03	Hay rack with lid	600	500	700
PTS03LD	Hay rack lid only (with hinges)			
PTS03NL	Hay rack without lid	600	500	700



KEEP A LID ON IT

Lid design stops horses pulling out the biscuit and bin prevents feed falling onto the ground.

RAPID STEP

Mounting horses, Multi-purpose

Features:

- Reduces strain for both rider, saddle and horse
- No sharp edges, safe for your horse to walk around
- Manufactured from polyethylene and UV stabilised
- Easily carried using the integrated handle
- Safe and secure with wide base and non-slip tread pattern
- Maximum load 75kg



Integrated Handle



SAFETY FIRST

No sharp edges, this step is fully moulded as a 1-piece unit and safe for your horse to walk around.

RAPID STEP

Dia: 715mm
Height: 570mm

PTRS1



CHAFF BIN

Feed storage

Features:

- Large bin holds 1¼ bags of chaff
- Hinged lid - easy access, yet secure storage
- Rust free poly construction
- Space saving modular design



PFB
**270L
CHAFF BIN**
Length: 600mm
Width: 600mm
Height: 1010mm

MINI CHAFF BIN or UTILITY BIN

NEW

PFBLP
**130L
CHAFF BIN/
UTILITY BIN**
Length: 600mm
Width: 600mm
Height: 600mm



Available in these colours



MULTI-PURPOSE

Versatile storage bins which are weather and rodent resistant. Suitable for numerous uses - chaff, dog biscuits, chook feed, fertiliser and general storage.

FEED BUCKET

- Hand grip on bottom and a spout - for easy pouring
- Flat side on back for easy carrying

Colour: Green - as pictured

PTSFB1



EASY TO HANDLE

Strong & durable, these robust buckets and scoops will last for years!

SCOOPS

- Moulded handle and vent hole for ease of use

Colour: Green - as pictured



PTSC1



PTSC3

PTSC2

CODE	DESCRIPTION	CAPACITY LITRES	DIMENSIONS DIA. x H (mm)
PTSFB1	Feed Bucket	20	325 x 370
PTSC1	Feed Scoop	1	125 x 250
PTSC2	Feed Scoop	2.5	165 x 300
PTSC3	Feed Scoop	9	260 x 315



CROPPING & STORAGE EQUIPMENT



RAPID PLAS
GROUP

Rapid Bulk Bin

NEW!

RBB1600NT

Rapid Bulk Bin

Nominal Tonnage: 1.15 Tonne*
 Dimensions: 1171mm x 1171mm
 Overall Height: 2100mm
 Outlet Height: 200mm / 450mm
 Cubic Capacity: 1.6m³

*Based on wheat at 820kg/m³



SUITABLE FOR:

- Grains and seeds, wheat, barley, soybean, lupins, oats, corn etc
- Fertilisers, urea etc
- Feed mixes and pellet
- Granular or powdery products

Generous outlet size
 Translucent bin for
 content level viewing
 Extendable legs
 Stackable framework

Auger Hoppers

ROUND

Features:

- Suit 8" - 12" augers
- Rust free tough & flexible poly
- Unique sump for maximum emptying
- Recessed at rear to protect from auger wear
- 2 x Hopper Straps included

260L ROUND AUGER HOPPER

Capacity: 260 Litres Width: 1150mm
 Length: 1150mm Height: 750mm



DP902

TRIANGULAR

Features:

- Suit 8" - 12" augers
- Rust free tough & flexible poly
- Unique sump for maximum emptying
- Recessed at rear to protect from auger wear
- 2 x Hopper Straps included

130L TRIANGULAR AUGER HOPPER

Capacity: 130 Litres Width: 1150mm
 Length: 1300mm Height: 530mm



DP901

MINI

Features:

- Suit 4" Pencil augers
- Lightweight & flexible
- UV stabilised polyethylene
- 2 x Hopper Straps included

60L MINI AUGER HOPPER

Capacity: 60 Litres Width: 700mm
 Length: 600mm Height: 430mm



DP903

What you need to know when purchasing your rainwater tank

1.

Selecting your rainwater tank

Watch here



2.

Getting a quote and placing your order

Watch here



3.

Preparing for your tank delivery

Watch here



Scan for
**TRUE
BLUE**



Tank and Trough Deals!

<https://www.rapidplas.com.au/pages/true-blue-hot-sale>



✓ Best Looking Tanks ✓ Built Tough to Last ✓ Delivered to You



FACTORY ADDRESS: 29 Logistic Ave, Westdale NSW 2340, Australia
POSTAL ADDRESS: PO Box 7003, Tamworth NEMSC NSW 2348, Australia
PHONE: (02) 6765 0700 **FAX:** (02) 6765 0780 **EMAIL:** sales@rapidplas.com.au

As of 21st July 2025, this publication
supersedes all previous catalogues.
E&OE. Subject to RapidPlas Terms &
Conditions available at rapidplas.com.au